

Thank you for watching!

Please use the following contact to customize your favored vehicles:

Tel: 0537-7606111/7606688

Website: www.lshyzq.com

Email: lshyzq@163.com



梁山华岳专用汽车制造有限公司

**LIANGSHAN HUAYUE SPECIAL PURPOSE VEHICLE
MANUFACTURING CO., LTD.**

ABOUT PRODUCTS

• SPECIALIZED • ACCURATE • LARGE-SCALE • AUTOMATIC



Liangshan Huayue Special Purpose Vehicle Manufacturing Co., Ltd. is located in Shandong Liangshan Industrial Park, the special purpose vehicle manufacturing base in China. It is the origin of Outlaws of the Marsh, one of the four classic novels in Chinese literature. The well-located place has beautiful scenery, outstanding people and convenient traffic.




Company Profile

Founded in 2008, Liangshan Huayue Special Purpose Vehicle Manufacturing Co., Ltd. is a large and medium-scaled special purpose vehicle manufacturer integrating product development, production, trade and service. The company covers a total area of 120000 square meters, with a total production plant area of 50000 square meters. It has first-class production equipment and assembly line for special purpose vehicles, and has annual sales of more than 6000 special purpose vehicles.

Liangshan Huayue has domestic advanced automatic production equipment, such as plasma numerical control cutting machine, gantry type longitudinal beam welding machine, automatic frame welding turnover tooling, frame shot blasting machine, vehicle sandblasting machine, water curtain spray booth and other advanced tooling equipment. It adopts automatic robot panel welding machine, with stable performance, beautiful welding seam and excellent welding quality. It has realized large-scale, accurate and automatic production.

Its main products include more than 40 types such as multi-axis heavy-cargo transport vehicle, low flat engineering vehicle, multi-functional dump trailer, frame type vehicle, flat trailer, grate type vehicle and drop-side trailer. Currently, the products have covered 29 provinces, autonomous regions and municipalities nationwide, and are exported to Eastern Europe, Central Asia, Middle East, Southeast Asia, Africa and other countries and regions.

Production equipment




Large plasma laser cutting machine



Automatic gantry type longitudinal beam welding machine



Automatic turnover bench



Automatic panel welding robot



Shot blasting and powder coating booth



Water curtain type spray booth



华岳汽车

Wisdom creates future

成就经典 智造未来

Low flat engineering semi trailer



Model	FNZ9380TDP	Name	Low flat engineering semi trailer
Curb weight	15000kg	Loading capacity	45000kg
Full load weight	60000kg	Traction pin	50 assembling type
Overall size	14500×2500,3000×3300mm		
Girder configuration	500, upper fender 20mm W 180mm, middle plate 12mm, lower fender 22mm W 180mm		
Axle	3	Tire	12R22.5
Relay valve	WABCO	Suspension	Reverse suspension
Lamplight	LED: assembled tail lamp, side and front and rear clearance lamps, license plate light		
Electrical connection	GB standard air channel joint, 24V 7-pin socket		
Paint	Two-component paint or powder coating process		
Purpose	Transport bulldozer, excavator, large non-disassemble equipment, etc.		
Note	Optional: ① Air suspension ② Axle lift ③ Wheel steering ④ Normal suspension		
Unit price:	Including freight \$ _____		



华岳汽车

Wisdom creates future

成就经典 智造未来

Low flat engineering semi trailer



Model	FNZ9380TDP	Name	Low flat engineering semi trailer
Curb weight	16000kg	Loading capacity	44000kg
Full load weight	60000kg	Traction pin	50 assembling type
Overall size	16000×2500,3000×3300mm		
Girder configuration	500, upper fender 20mm W 180mm, middle plate 12mm, lower fender 22mm W 180mm		
Axle	4	Tire	235/75R17.5
Relay valve	WABCO	Suspension	Reverse suspension
Lamplight	LED: assembled tail lamp, side and front and rear clearance lamps, license plate light		
Electrical connection	GB standard air channel joint, 24V 7-pin socket		
Paint	Two-component paint or powder coating process		
Purpose	Transport bulldozer, excavator, large non-disassemble equipment, etc.		
Note	Optional: ① Air suspension ② Axle lift ③ Wheel steering ④ Traction pin lift		
Unit price:	Including freight \$ _____		



华岳汽车

Wisdom creates future

成就经典 智造未来

Low flat engineering semi trailer with disassemble head



Model	FNZ9800TDP	Name	Low flat engineering semi trailer with disassemble head
Curb weight	19000kg	Loading capacity	61000kg
Full load weight	80000kg	Traction pin	90
Overall size	16870×3200×2050mm, Disassemble head		
Girder configuration	500, upper fender 20mm W 310mm, middle plate 14+14 mm, lower fender 25mm W 310mm		
Axle	4-axis 8-shaft	Tire	245R17.5
Relay valve	WABCO	Suspension	Reverse suspension
Lamplight	LED: assembled tail lamp, side and front and rear clearance lamps, license plate light		
Electrical connection	GB standard air channel joint, 24V 7-pin socket		
Paint	Two-component paint or powder coating process		
Purpose	Transport bulldozer, excavator, large non-disassemble equipment, etc.		
Note	Optional: ① Air suspension ② Axle lift ③ Wheel steering ④ Optional tire		
Unit price:	Including freight \$ _____		



华岳汽车

Wisdom creates future

成就经典 智造未来



Long-distance blade transport vehicle

Model	FNZ9600YP	Name	Long-distance blade transport vehicle
Curb weight	31000kg	Loading capacity	28000kg
Full load weight	59000kg	Traction pin	90
Overall size	23500(65000)×3000×1600mm		
Girder configuration	650, upper fender 14mm W 1080mm, middle plate 8+8 mm, lower fender 14mm W 1080mm		
Axle	4+1	Tire	12R22.5
Relay valve	WABCO	Suspension	Reverse suspension
Lamplight	LED: assembled tail lamp, side and front and rear clearance lamps, license plate light		
Electrical connection	GB standard air channel joint, 24V 7-pin socket		
Paint	Two-component paint or powder coating process		
Purpose	Transport wind turbine blade for a long-distance		
Note	Customized based on blade specification		
Unit price:	Including freight \$		



华岳汽车

Wisdom creates future

成就经典 智造未来

Blade transfer tooling vehicle in mountainous region



Model	FNZ9160GZ	Name	Blade transfer tooling vehicle in mountainous region
Curb weight	40000kg	Loading capacity	116000kg
Full load weight	156000kg	Traction pin	90
Overall size	21700×4000×3500mm		
Girder configuration	850, upper fender 40mm W 360mm, middle plate 16+16 mm, lower fender 50mm W 400mm		
Axle	5-axis 10-shaft	Tire	900R20
Relay valve	WABCO	Suspension	Hydraulic suspension
Lamplight	LED: assembled tail lamp, side and front and rear clearance lamps, license plate light		
Electrical connection	GB standard air channel joint, 24V 7-pin socket		
Paint	Two-component paint or powder coating process		
Purpose	Transport wind turbine blade		
Note	Customized based on blade specification		
Unit price:	Including freight \$		



华岳汽车

Wisdom creates future

成就经典 智造未来

Multi-axis hydraulic suspension flat semi trailer



Model	FNZ9160TDP	Name	Multi-axis hydraulic suspension flat semi trailer
Curb weight	31500kg	Loading capacity	126000kg
Full load weight	157500kg	Traction pin	90
Overall size	14920×3000×2900mm		
Girder configuration	650, upper fender 50mm W 320mm, middle plate 16+16 mm, lower fender 50mm W 320mm		
Axle	7-axis 14-shaft	Tire	215/75R17.5
Relay valve	WABCO	Suspension	Hydraulic suspension
Lamp light	LED: assembled tail lamp, side and front and rear clearance lamps, license plate light		
Electrical connection	GB standard air channel joint, 24V 7-pin socket		
Paint	Two-component paint or powder coating process		
Purpose	Transport large non-disassemble equipment, bridge, etc.		
Note	Quantity of optional hydraulic axis		
Unit price:	Including freight \$		



华岳汽车

Wisdom creates future

成就经典 智造未来



5-axis 10-shaft low flat engineering semi trailer


Model	FNZ9600TDP	Name	Low flat engineering semi trailer
Curb weight	14500kg	Loading capacity	45500kg
Full load weight	60000kg	Traction pin	90
Overall size	14500×3000×3400mm		
Girder configuration	500, upper fender 20mm W 180mm, middle plate 12mm, lower fender 22mm W 180mm		
Axle	5-axis 10-shaft	Tire	825R16
Relay valve	WABCO	Suspension	Reverse suspension
Lamplight	LED: assembled tail lamp, side and front and rear clearance lamps, license plate light		
Electrical connection	GB standard air channel joint, 24V 7-pin socket		
Paint	Two-component paint or powder coating process		
Purpose	Transport bulldozer, excavator, large non-disassemble equipment, etc.		
Note	Optional: ① Air suspension ② Axle lift ③ Hydraulic ladder		
Unit price:	Including freight \$		



华岳汽车

Wisdom creates future

成就经典 智造未来



Two-section low flat engineering semi trailer with hydraulic ladder

Model	FNZ9380TDP		Name	Two-section low flat engineering semi trailer with hydraulic ladder
Curb weight	12000kg	Loading capacity	38000kg	
Full load weight	50000kg	Traction pin	50 assembling type	
Overall size	13000×3000×3200mm			
Girder configuration	500, upper fender 20mm W 180mm, middle plate 12mm, lower fender 22mm W 180mm			
Axle	3	Tire	8.25R22.5	
Relay valve	WABCO	Suspension	Reverse suspension	
Lamplight	LED: assembled tail lamp, side and front and rear clearance lamps, license plate light			
Electrical connection	GB standard air channel joint, 24V 7-pin socket			
Paint	Two-component paint or powder coating process			
Purpose	Transport bulldozer, excavator, large non-disassemble equipment, etc.			
Note	Optional: ① Air suspension ② Axle lift ③ Wheel steering			
Unit price:	Including freight \$			



华岳汽车

Wisdom creates future

成就经典 智造未来

7-axis extendable low flat engineering semi trailer



Model	FNZ9700TDP	Name	7-axis extendable low flat engineering semi trailer
Curb weight	15500kg	Loading capacity	54500kg
Full load weight	70000kg	Traction pin	50 assembling type
Overall size	14500×2500,3000×3200mm		
Girder configuration	500, upper fender 20mm W 180mm, middle plate 12mm, lower fender 22mm W 180mm		
Axle	7	Tire	235/75R17.5
Relay valve	WABCO	Suspension	Reverse suspension
Lamplight	LED: assembled tail lamp, side and front and rear clearance lamps, license plate light		
Electrical connection	GB standard air channel joint, 24V 7-pin socket		
Paint	Two-component paint or powder coating process		
Purpose	Transport bulldozer, excavator, large non-disassemble equipment, etc.		
Note	Optional: ① Air suspension ② Axle lift ③ Wheel steering ④ Hydraulic ladder ⑤ Optional tire		
Unit price:	Including freight \$		



华岳汽车

Wisdom creates future

成就经典 智造未来

Low flat engineering semi trailer



Model	FNZ600TDP	Name	Low flat engineering semi trailer
Curb weight	16000kg	Loading capacity	44000kg
Full load weight	60000kg	Traction pin	90
Overall size	17000×3200×2800mm traction pin lift		
Girder configuration	500, upper fender 20mm W 200mm, middle plate 14mm, lower fender 25mm W 200mm		
Axle	3-axis 6-shaft	Tire	245R17.5
Relay valve	WABCO	Suspension	Reverse suspension
Lamplight	LED: assembled tail lamp, side and front and rear clearance lamps, license plate light		
Electrical connection	GB standard air channel joint, 24V 7-pin socket		
Paint	Two-component paint or powder coating process		
Purpose	Transport 40FT container, large non-disassemble equipment, etc.		
Note	Optional: ① Air suspension ② Axle lift ③ Wheel steering ④ Optional tire		
Unit price:	Including freight \$		



华岳汽车

Wisdom creates future

成就经典 智造未来

Tip-back dump semi trailer



Model	FNZ9405ZH	Name	Tip-back dump semi trailer
Curb weight	10000kg	Loading capacity	40000kg
Full load weight	50000kg	Traction pin	50 assembling type
Overall size	10000×2550×1500mm		
Girder configuration	500, upper fender 14mm W 140mm, middle plate 8mm, lower fender 16mm W 140mm		
Axle	3	Tire	12R22.5
Relay valve	WABCO	Suspension	Normal suspension
Lamplight	LED: assembled tail lamp, side and front and rear clearance lamps, license plate light		
Electrical connection	GB standard air channel joint, 24V 7-pin socket		
Paint	Two-component paint or powder coating process		
Purpose	Transport sand and gravel, coal, etc.		
Note	Optional: ① Air suspension ② Axle lift ③ Top tarpaulin		
Unit price:	Including freight \$		



华岳汽车

Wisdom creates future

成就经典 智造未来

Tip-back dump semi trailer



Model	FNZ9407ZH	Name	Tip-back dump semi trailer
Curb weight	11000kg	Loading capacity	49000kg
Full load weight	60000kg	Traction pin	50 assembling type
Overall size	10500×2550×1500mm		
Girder configuration	500, upper fender 14mm W 140mm, middle plate 10mm, lower fender 16mm W 140mm		
Axle	4	Tire	12R22.5
Relay valve	WABCO	Suspension	Normal suspension
Lamplight	LED: assembled tail lamp, side and front and rear clearance lamps, license plate light		
Electrical connection	GB standard air channel joint, 24V 7-pin socket		
Paint	Two-component paint or powder coating process		
Purpose	Transport sand and gravel, coal, etc.		
Note	Optional: ① Air suspension ② Axle lift ③ Top tarpaulin		
Unit price:	Including freight \$		



华岳汽车

Wisdom creates future

成就经典 智造未来

Track type rear push
dump semi-trailer



Model	FNZ9400ZLS	Name	Track type rear push dump semi-trailer
Curb weight	8800kg	Loading capacity	40000kg
Full load weight	48800kg	Traction pin	50 assembling type
Overall size	9800×2550×3550mm		
Girder configuration	480, upper fender 10mm, middle plate 6mm, lower fender 12mm		
Axle	3	Tire	12R22.5
Relay valve	WABCO	Suspension	Normal suspension
Lamplight	LED: assembled tail lamp, side and front and rear clearance lamps, license plate light		
Electrical connection	GB standard air channel joint, 24V 7-pin socket		
Paint	Two-component paint or powder coating process		
Purpose	Transport sand and gravel, coal, etc.		
Note	Optional: ① Vehicle length 9100 or 9500 ② Top cover style		
Unit price:	Including freight \$		



华岳汽车

Wisdom creates future

成就经典 智造未来

**Container transport
semi-trailer**



Model	FNZ9406TJZ	Name	Container transport semi-trailer
Curb weight	6500kg	Loading capacity	40000kg
Full load weight	48800kg	Traction pin	50 assembling type
Overall size	12510×2500×1700mm		
Girder configuration	480, upper fender 10mm, middle plate 6mm, lower fender 12mm		
Axle	3	Tire	12R22.5
Relay valve	WABCO	Suspension	Normal suspension
Lamp light	LED: assembled tail lamp, side and front and rear clearance lamps, license plate light		
Electrical connection	GB standard air channel joint, 24V 7-pin socket		
Paint	Two-component paint or powder coating process		
Purpose	Carrying 20 foot or 40 foot containers		
Note	Optional: ① Vehicle length 12400 ② Number of container locks ③ Heighten lockset		
Unit price:	Including freight \$		



华岳汽车

Wisdom creates future

成就经典 智造未来

Container flatbed semi-trailer



Model	FNZ9400TPB	Name	Container flatbed semi-trailer
Curb weight	7000kg	Loading capacity	40000kg
Full load weight	47000kg	Traction pin	50 assembling type
Overall size	13000×2550×2900mm		
Girder configuration	480, upper fender 10mm, middle plate 6mm, lower fender 12mm		
Axle	3	Tire	12R22.5
Relay valve	WABCO	Suspension	Normal suspension
Lamplight	LED: assembled tail lamp, side and front and rear clearance lamps, license plate light		
Electrical connection	GB standard air channel joint, 24V 7-pin socket		
Paint	Two-component paint or powder coating process		
Purpose	Carrying containers or other bulk cargo		
Note	Optional: ① Air suspension ② Axle lift ③ Optional tire ④ Other accessory brands		
Unit price:	Including freight \$		



华岳汽车

Wisdom creates future

成就经典 智造未来

Full trailer



Model	FNZ9400	Name	Full trailer
Curb weight	10000kg	Loading capacity	50000kg
Full load weight	60000kg	Traction pin	50 assembling type
Overall size	9000 × 2500 × 1500mm		
Girder configuration	500, upper fender 16mm W 140mm, middle plate 10mm, lower fender 18mm W 140mm		
Axle	3	Tire	12R22.5
Relay valve	WABCO	Suspension	Normal suspension
Lamplight	LED: assembled tail lamp, side and front and rear clearance lamps, license plate light		
Electrical connection	GB standard air channel joint, 24V 7-pin socket		
Paint	Two-component paint or powder coating process		
Purpose	Transport sand and gravel, coal, etc.		
Note	Optional side turnover vehicle		
Unit price:	Including freight \$		